

45562/P

LPI

AN
ENGLISH CATALOGUE
OF
DRUGS,

WITH
THEIR PROPERTIES, DOSES TO CHILDREN AND ADULTS,
THE PROPER VEHICLE FOR THEIR EXHIBITION,

AND
RETAIL PRICE ANNEXED TO EACH ARTICLE:

TO WHICH IS ADDED,
A DESCRIPTION OF THE DIFFERENT
MEDICINE AND CHEMICAL TEST CHESTS,
&c. &c.

THIRD EDITION, CORRECTED AND ENLARGED.

By REECE, BURGESS, & Co.
OF THE
CHEMICAL AND MEDICAL HALL, 20, BEDFORD-STREET,
COVENT-GARDEN.

LONDON:

SOLD AT THE CHEMICAL AND MEDICAL HALL, 20, BEDFORD-STREET,
COVENT-GARDEN, AND ALL BOOKSELLERS IN THE UNITED KINGDOM.

1811.

389[472]



Pople, Miller, & Co.
Old Boswell Court, Strand, London.

ADDRESS.

IN a profession so destitute of science as that of medicine, it is to be expected that jealousy and illiberality will prevail among its members. Hence it is common for those medical men of contracted minds to speak in terms of contempt of works on domestic medicine. To every individual health is the most valuable of sublunary possessions ; it is therefore fit that all should be instructed in the methods of preserving or restoring it. Of those who condemn domestic medicine and decry all attempts to inform the mass of mankind on the nature and treatment of diseases, the public has a right to enquire to what degree of perfection they have brought the healing art, and why the practice of medicine should be confined to a privileged order ? That there is such a deplorable deficiency of science in medicine, that there does not exist a fundamental principle on which Physicians have a general agreement, no medical man can deny. Even in diseases of common occurrence it is extraordinary to find two medical men accord in their opinions of the causes, the nature, or the mode of treatment of the malady. How com-

mon is it for Physicians in the same disease to recommend plans of treatment diametrically opposite to each other! Some recommending in acute fevers and inflammations medicines, termed antiphlogistic, and others, simulants. If such diversity of opinions exists among medical men, surely it ill becomes them to oppose domestic medicine. Some degree of disease has pervaded all communities, and it is therefore natural for all to wish to be acquainted with the best established means of restoring health, and of alleviating the sufferings of sickness. No medical man of a liberal, or benevolent mind would condemn a work that is calculated to diffuse such important instructions among his fellow creatures, especially as it performs no small service to professional men of skill and judgment; for it is the total ignorance of the people that makes the practice irksome to men of scientific attainments; it is this which screens pretenders and impostors, and puts them on a level with men of real merit. This is in fact the principal reason that invites such members to decry all attempts to inform the public on the nature and cure of diseases. The pretender shrinks from the scrutinizing eye of intelligence; he knows that the man of sense and knowledge will distinguish those who merit his confidence: he will cheerfully resign himself to the guidance of honest and judicious practitioners, and calmly submit to the misfortunes which form a part of his condition in this transitory existence. The Physicians who have obtained their degrees at Oxford and Cambridge, style themselves *regular Physicians*, although these universities, it is well known, are no longer proper schools of medicine: the rudiments even not being taught there. They become entitled to a doctor's degree, in con-

sequence of having kept a certain number of terms, although no part of their time was devoted to the study of medicine. Such men, with a knowledge of technical terms, set up as Physicians, and under the assumed style of *regular* Physicians, would have it to be understood that all others are impostors. No man should be allowed to practise as a Physician who is not acquainted with Surgery, anatomy, chymistry, and the materia medica. He should be able to concentrate the rays of each upon the great question of practice, to decide with sober judgment the doubtful points that so frequently occur in the practice of medicine. A knowledge of Surgery is essentially necessary to enable him to judge of the state of the constitution, from local diseases, and to cure local derangements by internal remedies. Morbid actions are to be accounted for upon chemical principles, and are to be counteracted and cured by chemical agents; how then is it possible that a practitioner can be a good Physician who is ignorant both of Surgery and Chemistry? and yet not one in a hundred of our modern Physicians is acquainted with these departments. Of late years domestic medicine has been so much cultivated in this country as to form more or less with every person an object of particular attention. The consequence of which is, that the best informed apply in all cases of indisposition to Surgeons, so that the practice of physic is nearly in their hands, and if it were entirely so, we should hear less of internal organic diseases, which, by the patient trusting to simple directions of men unacquainted with the nature of diseased structure, are allowed to arrive to an incurable stage before the aid of a Surgeon is resorted to. The immortal Hippocrates, and Galen, were equally eminent as

Surgeons and Physicians ; and Boerhaave was also an excellent Chemist. The success of a Physician of the present day is calculated by the number of his fees : so occupied is his mind in the means of accumulating wealth, that it is a melancholy fact that a Physician who has been in an extensive practice for fifty years, has not been able to leave one useful practical remark behind him. He only bestows pains to enrich himself. To generalize facts, and to reduce them to scientific principles, are totally foreign from his pursuits. For the sake of notoriety he will broach the most absurd doctrines ; and when he publishes a work, his object is an advertisement, to bring his name before the public eye.—Of such Physicians Mr. JOHN BELL, an eminent Surgeon, in Edinburgh, gives the following very just description :—“ A trading Physician (says he) would be ruined by thinking ! the hours fly, and he is in haste to prescribe ;—one would think, as the chariot drives furiously along, that he was chasing death before him out of every avenue.—He is simply overtaking time, coursing through practice.—

“ All rush rapacious, friends o’er trodden friends,
O’er just, o’er sacred, all forbidden grounds,
To snatch the *Golden* showers.”

Sickness and anguish is his harvest ; he rejoices to hear that they have fallen on any of his friends ; he looks black and disconsolate when all men are at their ease. The fantastic valetudinarian is his particular prey. He listens to his frivolous tale of symptoms with inflexible gravity ; he pretends to be most wise when he is most ignorant ; no matter whether he understands any thing of the disease ; there is one thing in which his visit must

inevitable terminate—a prescription, which is a gentle hint for a fee! This is the being whose occupation is insured by politic connections, and whose trade is visits: the vacant hurry of whose mind is discharged in common place questions and trivial directions, and who is reminded that he must think, or seem to think, only by recollecting that he must prescribe!”

In the year 1805 the author published the Medical Guide, for the use of clergy and heads of families, which has gone through seven heavy editions. It has been translated into different languages on the Continent, and reprinted in America. In the same year he established a Chemical and Medical Hall, (20, Bedford-street, Covent Garden) for the purpose of supplying the public with genuine drugs, and the most choice chemical preparations, which he has the satisfaction to say, is patronized by the most distinguished members of the medical profession, and scientific characters in the United Kingdom. As no article is allowed to be sold there, or employed in the composition of medicine before it is examined by the author, he can undertake to assure the public that the most implicit confidence may be placed in every drug and chemical preparation that is procured from it, and he therefore begs they will observe, that it is an invariable rule to affix the names of REECE, BURGESS, and Co. to every article sold there, without which it is not to be depended upon as coming from the Chemical and Medical Hall. The concern is superintended by the partners, and no assistant engaged that is not thoroughly acquainted with the materia medica and chemistry, and particularly with the new and old names of the different pharmacopœias.

For the information of those who may be desirous of being further acquainted with the science and trade of medicine, and the impositions practised by regular and irregular quacks, he has subjoined at the end of this work a list of medical works, which he can, with confidence, recommend to their notice.

RICHARD REECE.

Bedford-street, Covent Garden,

March 6, 1811.

CATALOGUE OF DRUGS,

WITH THEIR

PROPERTIES, DOSES, RETAIL PRICES, &c.

The doses specified in the following list are such as are usually administered. They should therefore be increased or diminished, according to the strength of the patient, and the age, by the following Rule.

Two thirds of the dose, from the age of 14 to 16. One half from 7 to 10. One third, from 4 to 6. One fourth, to one of 3 years One eighth, to one of a year.

It is customary to repeat the dose of an aperient medicine about every three hours till it operates, or to have recourse to a lavement, which in cases of obstinate costiveness is often preferable.

MEDICINES.	DOSES.		Proper Vehicle, &c.
	Adults.	Children, from 2 to 4 years.	
Æther	30 dps. to 1dm.	8 to 10 drops	cold water
Æthiop's Mineral .	15 to 30 grains	5 to 10 grains	honey, twice a day . .
Almonds, Emulsion of	a wine-glassful	1 to 2 ta. spfs.	every 2 or 3 hours . .
——— Oil of . .	1 to 3 drams	30 dps. to 1dm.	honey, ditto
Aloes, Socotrine . .	10 to 20 grains	3 to 6 grains	in pills
——— Tincture of .	3 to 6 drams	1 to 2 drams	water
Alum Powder . . .	3 to 10 grains	ditto, 3 times a day .
Amber, Rectified Oil of	8 to 10 drops	1 to 3 drops	honey, twice a day . .
Ammoniac Gum . .	10 to 15 grains	in pills, ditto . . .
Ammoniac Gum, Milk of	3 table-sp.fuls	a dessert sp. ful	2 or 3 times a day . .
Antimonial Powder .	from 3 to 5 grs.	1 to 3 grains	honey
— wine (as an emetic).	2 to 4 drams	1 to 3 drams	water
— wine (as an alterative)	12 to 20 drops	4 to 8 drops	barl. wat. twice a day
Aromatic confection	15 to 30 grains	4 to 8 grains	cinnam. wat. 2 or 3 do
——— species	5 to 10 grains	2 to 3 grains	water, ditto
Asafetida emulsion .	4 to 8 drams	2 tea-spoonfuls	every 3 or 4 hours . .
——— tincture of .	30 to 60 drops	8 to 12 drops	water, ditto
——— volat. spirit of	20 to 40 drops	4 to 8 drops	water, ditto
——— pill	10 to 15 grains	in pills, twice a day .
Balsam of copaiva .	20 to 40 drops	6 to 8 drops	in honey, ditto . . .
——— of Peru . .	5 to 10 drops	ditto, ditto
——— traumatic .	20 to 40 drops	ditto, or sugar ditto .
——— tolu, tincture of	30 to 60 drops	ditto, or water ditto .
Bark Peruvian, powder	20 to 60 grains	10 to 15 grains	mint wat. 4 or 6 times
——— decoction of .	3 to 4 ta. sp. fs.	1 to 2 ta. spfs.	3 or 4 times a day . .
——— essential salt of .	5 to 10 grains	2 to 3 grains	Port wine, ditto . . .
——— tincture of . .	2 to 4 drams	40 to 60 drops	water, ditto
——— ditto, Huxham's	2 to 4 drams	40 to 60 drops	ditto, ditto
——— ditto, volatile .	1 to 2 drams	10 to 20 drops	ditto, ditto
Basilic powder . .	20 to 25 grains	6 to 8 grains	honey, twice a week . .
Calomel	1 to 2 grains	half to 1 grain	in a pill, twice a day .

Effects, &c.	Diseases ;—proper for	RETAIL PRICES.					
		Per Ounce,			Per Pound Or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
- antispasmodic .	asthma, cramp, and flatulence	0	1	8	0	16	0
- alterative - -	scald-head, cutane. foulness	0	0	5	0	5	6
- demulcent - -	strangury, cough	0	0	0	0	1	6
- ditto - - -	ditto ditto	0	0	4	0	4	6
- purgative - -	obstinate costiveness	0	0	8	0	10	0
- ditto and vermifuge	ditto and worms	0	0	6	0	7	0
- astringent - -	flooding	0	0	1	0	0	6
- antispasmodic - -	hysteric fits, whooping cough	0	0	6	0	6	6
- expectorant - -	chronic cough, asthma, &c.	0	0	9	0	10	6
- ditto - - -	ditto	0	0	0	0	2	0
- sudorific - - -	inflamm. fever, pleurisy, &c.	0	1	6	1	1	0
- emetic - - -		0	0	6	0	6	0
- sudorific - - -	St. Anth. fire, cutan. foulness	0	0	6	0	6	6
- astringent and cordial	purging, cramp in the stom.	0	2	6	1	16	0
- stomachic - -	indigestion, flatulence	0	1	6	0	18	0
- antispasmodic -	hyster. asthma, hoop. cough	0	0	0	0	2	0
- ditto - - -	ditto, ditto, ditto	0	0	6	0	7	6
- ditto - - -	ditto, and fainting	0	0	6	0	6	6
- ditto - - -	ditto, ditto	0	2	6	1	8	0
- diuretic and balsamic	whites, gleet, gravel	0	0	6	0	6	6
- stimulant - -	flatulence, asthma, gleet	0	2	0	1	4	0
- ditto - - -	ditto	0	0	6	0	6	6
- ditto and pectoral -	ditto and chronic cough	0	0	6	0	6	6
- tonic - - -	ague, indigestion, weakness	0	1	0	0	16	0
- ditto - - -	relaxation and weakness	0	0	0	0	2	0
- ditto - - -	ditto, ditto	0	12	0	8	8	0
- ditto - - -	ditto, ditto	0	0	6	0	7	0
- ditto - - -	ditto, ditto	0	0	7½	0	8	0
- ditto - - -	indigestion, heartburn	0	0	6	0	7	6
- vermifuge & cathartic	worms, costiveness, dropsy	0	3	6	2	10	0
- alterative - - -	vene. disease, foul ulcers, &c.	0	1	0	0	12	0

CATALOGUE OF DRUGS, WITH

MEDICINES.	DOSES.		Proper Vehicle, &c.
	Adults.	Children from 2 to 4 years.	
Camphire	2 to 4 grains	1 to 2 grains	in a pill, twice a day
—— Julep of	2 to 4 ta.sp.fs.	3 to 4 drams	three times a day - -
Canella alba, powder of	4 to 8 grains	mint water, ditto - -
—— tincture of	2 to 3 drams	water ditto - -
Cardamoms, tincture of	2 to 3 drams	. : . . .	ditto, ditto - -
—— comp. ditto	2 to 4 drams	camomile ditto tea - -
Castor, Russian, powd. of	5 to 10 grains	3 to 5 grains	camphorated julep do. -
—— tincture of . . .	1 to 2 drams	15 to 30 drops	ditto ditto do. -
Castor oil	4 to 8 drams	3 to 4 drams	mint water - -
—— cold expressed	4 to 10 drams	3 to 5 drams	ditto - -
Cascarilla powder . . .	10 to 20 grains	3 to 6 drams	ditto 3 times a day . .
—— tincture of . . .	1 to 3 drams	20 to 30 drops	water, ditto - -
—— volatile ditto	40 to 60 drops	ditto ditto - -
Catechu, tincture of . .	1 to 2 tea-spf.	10 to 20 drops	mint water, ditto - -
Chalk, prepared	10 to 15 grains	4 to 6 grains	ditto, 4 times a day - -
Camomile flowers, pow- der of	10 to 20 grains	6 to 10 grains	[times a day - - mint water, 2 or 3 - -
—— tincture of, and ginger	10 to 40 drops	water, 3 or 4 ti. a day -
Cinnamon powder . . .	5 to 10 grains	2 to 4 grains	ditto, 3 times a day - -
—— essence of . . .	3 to 10 drops	1 drop . .	water
—— tincture of . . .	3 to 4 drams	20 to 30 drops	ditto
Columbo powder	10 to 20 grains	3 to 5 grains	mint water, 3 ti. a day -
—— tincture of . . .	1 to 3 drams	10 to 20 drops	ditto ditto - -
Crab's Claws, prepared .	15 to 20 grains	5 to 10 grains	do. every 3 or 4 hours -
Cretaceous powder, with opium	10 to 20 grains	5 to 8 grains	ditto, ditto - -
Contrayerva powder . .	20 to 40 grains	6 to 10 grains	water, ditto - -
—— compound	30 to 40 grains	8 to 12 grains	mint water, ditto - -
Cream of tartar	1 to 4 drams	20 to 30 grains	honey, every morning -
Colocynth pill compound	10 to 20 grains	4 to 8 grains	occasionally - -

Effects, &c.	Diseases ;---proper for	RETAIL PRICES.					
		Per Ounce			Per Pound, or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
- antispasmodic .	hooping cough, convuls. fits	0	0	10	0	10	0
- ditto and febrifuge	nervous fever, ditto, ditto	0	0	0	0	2	0
- stomachic .	indigestion, flatulence	0	0	6	0	6	0
- ditto .	ditto, ditto	0	0	6	0	6	6
- stimulant .	ditto, ditto, and cramp	0	0	6	0	7	6
- stomachic .	ditto, ditto	0	0	5	0	6	6
- antispasmodic .	convuls. fits, nerv. irritability	uncertain			uncertain		
- ditto .	ditto, ditto	0	1	0	0	15	0
- purgative .	colic, costiveness	0	0	6	0	6	0
- ditto .	ditto, ditto	0	0	9	0	10	6
- stomachic .	indigestion, weakness	0	0	6	0	6	0
- ditto .	ditto, ditto	0	0	6	0	6	6
- ditto .	gout, flatulence, heartburn	0	0	8	0	9	0
- astringent .	chronic looseness, flooding	0	0	6	0	7	0
- ditto .	looseness, acidity	0	0	2	0	2	0
- stomachic&vermifuge	indigestion, worms, &c.	0	0	6	0	6	6
- stomachic .	gout, cramp in the stomach	0	1	0	0	12	0
- ditto .	indigestion, flatulence, &c.	0	1	0	0	12	0
- stimulant .	flatulency, colicky pains	0	8	0	4	10	0
- astringent .	looseness	0	0	6	0	6	6
- stomachic .	indigestion, chronic looseness	0	0	6	0	6	0
- ditto .	ditto ditto	0	0	6	0	6	6
- astringent .	purging, dysentery, acidity	0	0	6	0	6	0
- ditto .	obstinate purg. and dysentery	0	1	0	0	12	0
- sudorific .	recent colds	0	0	6	0	7	0
- ditto and astringent	purging of children	0	0	6	0	6	6
- aperient and alterative	inflam. erupt. of the skin, &c.	0	0	1½	0	2	6
- active purgative	costiveness	0	2	0			

MEDICINES.	DOSES.		Proper Vehicle, &c.
	Adults.	Children, from 2 to 4 years.	
Colocynth extract .	10 to 15 grains	4 to 6 grains	occasionally .
———— powder .	10 to 15 grains	. . .	ditto
Dover's powder .	10 to 20 grains	3 to 6 grains	in water .
Elixir of vitriol .	10 to 12 drops	5 to 6 drops	ditto twice a day .
Electuary, Lenitive .	2 to 3 drams	half to 1 dram	occasionally
Epsom salt .	4 to 8 drams	2 to 3 drams	mint water, .
Foxglove powder .	half to 3 grains	. .	ditto (4 times a da
———— tincture of .	10 to 40 drops	. .	decoction of liverwo. three c
Gentian, tincture of .	1 to 2 drams	12 to 30 drops	water, ditto
———— extract of .	5 to 10 grains	. .	in a pill, twice a day .
Ginger powder .	20 to 60 grains	. .	water, ditto
———— lozenges of .	3 or 4	twice a day .
———— tincture of .	1 to 2 drams	. .	water, ditto
Guaiac gum .	5 to 15 grains	. .	in pill. ditto .
———— volatile tincture	1 to 3 drams	. .	water 2 or 3 times a da
Hartshorn, spirit of	20 to 40 drops	5 to 8 drops	ditto ditto
———— burnt prepar.	20 to 40 grains	6 to 10 grains	mint water, ditto
Hoffman's anodyne liquor	30 to 40 drops	6 to 10 drops	water, ditto .
Hemlock, powdered .	2 to 3 grains	1 to 2 grains	mint water, ditto .
———— extract of	2 to 3 grains	1 to 2 grains	ditto, or pill, ditto .
Hiera piera .	15 to 20 grains	4 to 8 grains	mint water .
———— tincture of	2 to 4 drams	30 to 40 drops	water .
Jalap powder .	20 to 30 grains	5 to 10 grains	mint water .
———— tincture of .	2 to 4 drams	. . .	ditto .
Ipecacuan powder .	20 to 30 grains	5 to 10 grains	water .
———— wine .	4 to 8 drams	2 to 3 drams	ditto .
Iron——see Steel .			
Kino gum, tincture of	2 to 3 drams	15 to 20 drops	mint water 3 or 4 ti. a da
Lavender, comp. spirit of	30 to 80 drops	10 to 20 drops	water .
Logwood, decoction of	a wine-glassful	1 to 2 tab.spful	three or four ti. a day (a da
———— extract of .	10 to 20 grains	3 to 4 grains	in cinnamon water three t

Effects, &c.	Diseases ;—proper for	RETAIL PRICES.					
		Per Ounce.			Per Pound, or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
active purgative .	obstinate ditto or colic	0	2	0			
ditto . . .	ditto	0	0	6	0	6	6
sudorific and anodyne	rheumatism, recent colds, &c.	0	2	0			
stomachic . . .	indigestion, flatulence, vomit.	0	0	6	0	7	0
gentle aperient .	costiveness - -	0	0	3	0	3	6
ditto [emetic	ditto - - -	0	0	1½	0	1	4
violent purgative and	dropsy - - -	0	0	6	0	7	0
sedative . . .	consumption of the lungs	0	0	4	0	5	6
stomachic . . .	indigestion, flatulence, &c.	0	0	4	0	4	6
ditto . . .	ditto, ditto	0	1	0	0	12	0
stimulant . . .	gout, indigestion, flatulence	0	0	4¼	0	5	6
ditto . . .	flatulency . . .	0	0	6	0	7	6
ditto . . .	ditto . . .	0	0	6	0	7	6
ditto and sudorific	chronic rheumatism, gout	0	0	8	0	8	0
ditto ditto	ditto ditto	0	0	8	0	8	6
stimulant . . .	hysterics, convul. heartburn	0	0	4	0	5	0
astrigent . . .	purging, acidity, heartburn	0	0	2	0	2	0
antispasmodic .	nerv. fever, asthma, hysterics	0	1	0	0	15	0
sedative . . .	hooping cough, cancer	0	1	0	0	12	0
ditto . . .	ditto ditto	0	1	0	0	12	0
purgative & stomachic	costiveness, flatulency	0	0	8	0	10	0
ditto, ditto & vermifu.	ditto ditto, and worms	0	0	5	0	6	0
active purgative .	costiveness - -	0	0	6	0	7	6
ditto . . .	ditto - - -	0	0	8	0	9	0
emetic . . .		0	2	0	1	5	0
ditto . . .		0	0	6	0	7	0
astrigent . . .	looseness - -	0	0	6	0	7	6
cordial - - -	fainting, or lowness of spirits	0	0	6	0	7	6
astrigent . . .	looseness, dysentery -	0	0	0	0	2	0
ditto - - -	ditto . . .	0	1	0	0	12	0

MEDICINE.	DOSES.		Property Vehicle, &c.
	Adults.	Children, from 2 to 4 years	
Madder power . . .	30 to 60 grains	. . .	mint wa. 2 or 3 times . . .
——— extract of . . .	10 to 20 grains	4 to 10 grains	ditto, ditto . . .
Magnesia	20 to 40 grains	5 to 10 grains	mint water
——— calcined . . .	ditto	ditto	ditto
Manna	3 to 6 drams	1 to 2 drams	ditto, or tea
Mercurial pill . . .	6 to 12 grains	2 to 4 grains	in pills twice a day . . .
Mercury, calcined . .	1 to 2 grains	quarter grain	in a pill ditto
——— with chalk . .	5 to 10 grains	3 to 4 grains	honey, ditto
Mistletoe powder . .	20 to 60 grains	8 to 12 grains	mint water, 3 ti. a day . .
Mithridate	15 to 20 grains	5 to 10 grains	ditto, ditto
Musk	5 to 40 grains	2 to 5 grains	ditto, ditto
Muriatic acid	10 to 30 drops	6 to 10 drops	water, twice a day
Myrrh power	5 to 10 grains	2 to 4 grains	mint water, ditto
——— tincture of . .	1 to 2 drams	10 to 15 drops	water, 2 or 3 ti. a day . .
——— emulsion . . .	2 to 3 ta. sp. fuls	2 to 3 drams	2 or 3 times a day
Natron prepared . . .	5 to 10 grains	2 to 3 grains	mint water, 2 or 3 ti. . . .
——— super carbonated	5 to 10 grains	2 to 4 grains	water ditto
Nitre power	5 to 20 grains	2 to 4 grains	barley water, ditto
——— sweet spirit of .	20 to 60 drops	8 to 10 drops	ditto, ditto
Nitric acid	12 to 30 drops	4 to 6 drops	water
Nutmegs, spirit of . .	4 to 6 drams	1 to 2 drams	ditto
Opiate confection . .	10 to 20 grains	3 to 6 grains	bolus
Opium purified	1 to 2 grains	$\frac{1}{4}$ grain	pill
——— tincture of . .	10 to 30 drops	3 to 5 drops	mint water
Oyster shells, prepared	10 to 20 grains	5 to 8 grains	ditto, 4 times a day . . .
Paregoric elixir . . .	3 to 4 drams	15 to 20 drops	barley water ditto
Peppermint, essence of	3 to 6 drops	1 to 2 drops	water
Poppies, white, extract of	5 to 10 grains	1 to 3 grains	in a pill
——— syrup of . . .	1 to 4 drams	tea-spoonful	water [a day
Quassia, tincture of .	30 to 60 drops	10 to 12 drops	ginger tea, 2 or 3 times .
Rhatania powder . . .	10 to 40 grains	5 to 8 grains	mint wa. every 2 hours . .

Effects, &c.	Diseases ;—proper for	RETAIL PRICES.					
		Per Ounce.			Per Pound, or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
deobstruent . .	chlorosis or green sickness	0	0	4	0	4	6
ditto, and tonic .	ditto and scrophula	0	2	0	1	5	0
absorbent . .	heartburn and acidity	0	0	6	0	7	0
ditto . .	ditto, ditto	0	1	0	0	14	0
gentle aperient .	costiveness	0	0	6	0	7	0
alterative . .	venereal disease	0	4	0			
ditto . .	ditto	0	10	0			
ditto . .	scald head, cuta. foulness, &c.	0	0	6	0	6	6
tonic . .	epileptic fits	0	0	6	0	6	0
astrigent . .	purging, dysentery	0	0	4	0	5	0
antispasmodic .	convulsions, locked jaw, &c.	2	2	0			
alterative . .	scrophula, cutaneous eruptions	0	0	4	0	3	0
strengthening .	green sickness, weakness	0	1	0			
ditto . .	ditto, ditto	0	0	6	0	7	0
ditto, and expectoran.	ditto, ditto, and chronic coughs	0	0	0	0	2	0
alterative . .	scrophula, heartburn, cancer	0	0	4	0	3	0
ditto . .	ditto, ditto, and vomiting	0	0	10	0	10	0
diuretic and febrifuge	strangury, heat of urine, fever	0	0	2			
ditto, ditto	ditto, ditto, ditto	0	0	6	0	7	0
tonic . .	diabetes, scrophula	0	0	6	0	6	0
carminative . .	flatulency, cramp in the stomach	0	0	0	0	6	0
ditto and opiate	purging, gripes, &c.	0	1	0	0	10	0
anodyne . .	restlessness, acute pains, asthm.	0	3	0			
ditto . .	ditto, ditto, ditto.	0	0	9	0	10	6
absorbent&astrigent	looseness, acid. in stom. &c.	0	0	4	0	4	6
anodyne . .	cough, asth. pain in the bowels	0	0	6	0	6	6
carminative . .	colicky pains, flatulency, &c.	0	2	6	1	10	0
anodyne . .	spasms, acute pain, cough	0	1	6	1	1	0
ditto . .	ditto, ditto, ditto	0	0	4	0	4	6
stomachic . .	indigestion, flatulency	0	0	6	0	6	0
tonic . .	ague, diabetes	0	0	6	0	6	6

MEDICINES.	DOSES.		Proper Vehicle, &c.
	Adults.	Children, from 2 to 4 years.	
Rhatania tincture of .	2 to 4 drams	30 to 40 drops	mint wa. 3 times a day .
—— comp. ditto .	ditto	ditto .	ditto . . .
—— aromatic ditto	ditto	ditto .	ditto . . .
Rhubarb powder . .	20 to 30 grains	5 to 8 grains	in mint water . . .
—— tincture of .	4 to 6 drams	1 to 2 drams	ditto . . .
—— bitter ditto .	2 to 3 drams	3 to 4 drops	wat. one or twi. a day .
—— lozenges with ginger	2 or 3	1 . .	twice a day . . .
Rochelle salt . . .	6 to 12 drops	2 to 4 drams	mint water . . .
Roses, infusion of .	1 to 2 ounces	3 to 4 drams	2 or 3 times a day . .
—— conserve of . .	1 to 2 drams	1 dram .	ditto . . .
Saffron, tincture of .	1 to 2 drams	30 to 40 drops	water . . .
—— syrup of . . .	2 to 3 drams	a tea spoonful	ditto . . .
Salt, Glauber's . .	6 to 12 drams	3 to 4 drams	mint water . . .
—— Epsom . . .	6 to 8 drams	2 to 4 drams	ditto . . .
—— Cheltenham . .	6 to 12 drams	2 to 4 drams	ditto . . .
—— Polychrest . . .	1 to 3 drams	30 to 40 grains	ditto . . .
—— tasteless . . .	6 to 12 drams	2 to 3 drams	in gruel or broth . .
—— of Tartar . . .	5 to 8 grains	1 to 4 grains	mint water . . .
—— of Wormwood . .	ditto	ditto .	ditto . . .
Sarsaparilla powder .	20 to 60 grains	5 to 10 grains	ditto, 2 or 3 times a day .
—— comp. decoc. .	3 to 4 ounces	1 to 2 ounces	3 or 4 times a day . .
Scammony powder . .	10 to 20 grains	4 to 5 grains	mint water . . .
—— comp. ditto . .	15 to 30 grains	5 to 6 grains	ditto . . .
—— comp. with calomel	15 to 25 grains	5 to 6 grains	honey . . .
Senna, infusion of . .	2 to 3 ounces	3 to 4 drams	occasionally . . .
—— tincture of . . .	6 to 12 drams	2 to 3 drams	water . . .
Soluble Tartar . . .	1 to 2 drams	1 to 2 drams	mint water . . .
Spermaceti powder . .	2 to 6 drams	20 to 30 grains	honey 3 or 4 times a day .
Spirit, Mindererus's .	30 to 40 drops	1 to 2 drams	mint water, ditto . .
—— of vitriol, sweet .	20 to 40 drops	6 to 12 drops	ditto ditto . . .
—— nitre . . .	15 to 30 drops	6 to 12 drops	barley water . . .

Effects, &c.	Diseases ;—proper for	RETAIL PRICES.					
		Per Ounce.			Per Pound, or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
. . stomachic .	indige. relaxation, whites. &c.	0	0	6	0	7	6
. . ditto, and cordial	ditto, ditto, ditto	0	0	8	0	9	0
. . ditto, ditto	ditto, ditto, ditto	0	0	7	0	8	0
. . aperient .	costiveness	0	2	6	1	12	0
. . ditto and carminative	ditto, cholic, &c.	0	0	6	0	7	0
. . aperient & stomachic	indigestion, flatulence, &c.	0	0	6	0	7	0
. . stomachic .	ditto, ditto	0	0	9	0	10	0
. . aperient . .	costiveness	0	0	4	0	4	0
. . stomachic and astrin.	indigestion, flooding, &c.	0	0	2	0	2	0
. . ditto, and pectoral	cough	0	0	3	0	3	0
. . cordial . .	lowness of spirits	0	0	0	0	14	0
. . ditto . .	ditto	0	0	4	0	5	0
. . purgative .	costiveness, &c.	0	0	1½	0	1	2
. . ditto . .	ditto	0	0	1½	0	1	4
. . ditto . .	ditto	0	1	0	0	12	0
. . cooling aperient	feverish heats	0	0	4	0	4	6
. . gentle aperient .	costiveness, &c.	0	0	6	0	6	0
. . alkaline . .	heartburn, rickets	0	0	4	0	3	0
. . ditto . .	ditto, ditto	0	0	4	0	3	0
. . alterative .	scrophula, &c.	0	1	0	0	12	0
. . ditto . .	ditto				0	2	0
. . strong purgative	obstinate costiveness	0	4	6			
. . ditto . .	ditto	0	3	0			
. . ditto, and vermifuge	ditto, worms and dropsy	0	3	6			
. . purgative .	costiveness and worms				0	2	0
. . ditto . .	ditto, and colic	0	0	4	0	5	0
. . ditto . .	ditto, and piles	0	0	4	0	5	0
. . demulcent .	recent cough	0	0	4	0	4	0
. . sudorific and cooling	ditto, inflam. fever, pleurisy	0	0	3	0	3	6
. . antispasm. & carmina.	nervous debility, flatule. &c.	0	0	6	0	7	0
. . diuretic and febrifuge	strangury, gravel, fevers	0	0	6	0	7	0

MEDICINES.	DOSES.		Proper Vehicle, &c.
	Adults.	Children from 2 to 4 years.	
Spirit, sal ammoniac . . .	15 to 30 drops	6 to 10 drops	water
—, sal volatile . . .	20 to 40 drams	ditto	ditto
—, sal vol. foetid. . .	2 to 4 drams	ditto	ditto
Syrup of white Poppies . .	ditto	1 to 2 drams	2 or 3 times a day . .
— Buckthorn . . .	ditto	1 to 2 drams	mint water - - -
— Ginger . . .	2 to 3 drams	1 dram	water - - -
Sponge, burnt . . .	20 to 30 grains	10 to 15 grains	honey, twice a day - -
— lozenges of . . .	1 to 3	1 to 2	twice a day - - -
Squills, powder . . .	1 to 2 grains	$\frac{1}{2}$ to 1 grain	in a pill, twice a day .
— oxymel . . .	2 to 4 drams	1 dram -	mint water, ditto - -
— tincture . . .	15 to 30 drops	6 to 10 drops	ditto, ditto - -
— lozenges of . . .	3 to 6	1 to 2	twice a day - - -
Steel, muriated tinct. of .	10 to 30 drops	3 to 6 drops	water, twice a day - -
— wine of . . .	3 to 6 drams	1 to 2 drams	ditto ditto - - -
— salt of . . .	1 to 3 grains	$\frac{1}{2}$ to 1 grain	pill, ditto - - -
— powder of . . .	10 to 40 grains	2 to 4 grains	honey, ditto - - -
— red sulphate of . .	3 to 12 drops	1 to 2 drops	water - - -
Sulphur, flowers of . . .	1 to 4 drams	20 to 30 grains	honey, once a day - -
— milk of . . .	ditto	ditto	ditto, ditto - -
Tartar emetic . . .	1 to 2 grains	$\frac{1}{4}$ to $\frac{1}{2}$ grain	water - - -
Tin powder . . .	20 to 40 grains	10 to 15 grains	honey every morning .
Tincture of aloes . . .	3 to 6 drams	1 to 2 drams	water - - -
— asafœtida . . .	30 to 60 drops	1 to 2 drops	ditto, twice a day - -
— benzoin . . .	15 to 30 drops	6 to 8 drops	honey - - -
— cantharides . . .	10 to 30 drops	6 to 8 drops	barley water, twice a day -
— cardamoms . . .	2 to 4 drams	$\frac{1}{2}$ to 1 dram	camomile tea - - -
— compound ditto . .	ditto	ditto	ditto - - -
— cascarilla . . .	1 to 3 drams	10 to 15 drops	water - - -
— catechu . . .	1 to 2 drams	15 to 20 drops	mint water, 3 ti. a day -
— Columbo . . .	1 to 2 drams	10 to 20 drops	ditto ditto - -
— Peruvian bark . .	2 to 4 drams	30 to 40 drops	ditto ditto - -

Effects, &c.	Diseases ;—proper for	RETAIL PRICES.					
		Per Ounce,			Per Pound, Or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
. stimulant .	hysteric and fainting fits	0	0	4	0	4	6
. ditto .	ditto, ditto	0	0	6	0	7	6
. ditto .	ditto, ditto	0	0	6	0	7	6
. anodyne .	coughs, restless. irritat. fever	0	0	4	0	5	0
. strong cathartic	costiveness	0	0	3	0	2	0
. carminative .	flatul. cramp in the stomach	0	0	3	0	3	0
. alterative .	scrophula	0	2	6	1	18	0
. ditto .	wen	0	1	0	0	12	6
. expectorant & diuretic	dropsy, asthm. chronic cough	0	1	0	0	12	6
. ditto ditto .	dropsy, chronic cough, asth.	0	0	4	0	4	0
. ditto ditto .	ditto, ditto, ditto	0	0	6	0	6	0
. ditto ditto .	ditto, ditto, ditto	0	0	6	0	7	0
. tonic .	indigest. rickets, worms, &c	0	0	8	0	9	0
. ditto .	ditto, ditto, ditto	0	0	4	0	5	0
. ditto .	ditto, ditto, ditto	0	1	0			
. ditto .	ditto, ditto, ditto	0	0	4	0	3	6
. ditto .	ditto, ditto, ditto	0	1	0	0	12	0
. alterative and aperient	cuta. foulness, piles, worms	0	0	1	0	1	0
. ditto .	ditto, ditto, ditto	0	0	4	0	4	6
. emetic .		0	1	0			
. vermifuge .	worms	0	0	6	0	6	6
. purgative .	costiveness, worms	0	0	6	0	7	0
. antispasmodic .	hysterics, ast. hooping cough	0	0	6	0	7	6
. stimulant .	flatulence, asthma	0	0	6	0	7	6
. diuretic .	hooping cough	0	0	6	0	7	0
. stomachic .	indigestion, flatulence	0	0	6	0	7	6
. ditto .	ditto, ditto	0	0	6	0	7	6
. ditto .	ditto, ditto, gout	0	0	6	0	6	6
. astringent & stomachic	purgings, relaxations	0	0	6	0	6	6
. stomachic .	indigestion, weakness, &c.	0	0	6	0	6	0
. ditto .	ditto, ditto	0	0	6	0	7	6

MEDICINES.	DOSES.		Proper Vehicle, &c.
	Adults.	Children, from 2 to 4 years.	
Tincture, Huxham's do.	2 to 4 drams	30 to 40 drops	mint wat. 3 times a day
—— volatile do.	1 to 2 drams	10 to 20 drops	water, ditto
—— iron muriated	10 to 30 drops	3 to 6 drops	ditto ditto
—— gentian .	2 to 3 drams	12 to 30 drops	ditto ditto
—— guaiacum .	30 to 60 drops	5 to 6 drops	honey, twice a day
—— ditto volatile	1 to 3 drams	. . .	water, ditto
—— Jalap .	2 to 4 drams	1 dram	mint water
—— lavend. comp.	30 to 80 drops	15 to 20 drops	water . . .
—— myrrh .	1 to 2 drams	10 to 15 drops	ditto, twice a day .
—— Opium .	10 to 30 drops	3 to 5 drops	mint water, . . .
—— acetic	20 to 40 drops	6 to 8 drops	ditto . . .
—— Rhatania root	2 to 4 drams	30 to 40 drops	ditto, three times a day
—— ditto, comp. .	ditto	ditto	ditto ditto
Tobacco, extract of .	2 to 4 grains	$\frac{1}{2}$ to 1 grain	pill, twice a day .
Turpentine, Venice .	10 to 15 grains	. . .	honey, ditto . . .
——, spirit .	15 to 20 drops	. . .	ditto, ditto . . .
—— Chio, .	10 to 15 drops	. . .	ditto, ditto . . .
Valerian powder .	20 to 30 grains	6 to 8 grains	mint water twice a day
Valerian, tincture of .	1 to 3 drams	10 to 40 drops	water thriee a day .
—— volatile ditto	40 to 80 drops	10 to 15 drops	ditto ditto
Vitriol, acid elixir of .	8 to 15 drops	5 to 7 drops	camo. tea twice a day
Vitriolic acid, diluted .	12 to 20 drops	7 to 10 drops	ditto
Wormwood, conserve of	1 to 2 drams	$\frac{1}{2}$ to 1 dram	twice a day . . .
—— salt of .	5 to 8 grains	1 to 4 grains	mint water twice a day
Wine, antimonial .	2 to 4 drams	1 to 2 drams	water . . .
—— of Ipecacuan .	4 to 8 drams	2 to 3 drams	ditto . . .
—— Rhubarb .	6 to 12 drams	2 to 3 drams	mint water . . .
—— Steel . .	3 to 6 drams	1 to 2 drams	ditto twice a day .

Effects, &c.	Diseases ;—proper for	RETAIL PRICES.					
		Per Ounce			Per Pound, or Pint.		
		<i>l.</i>	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>
. stomachic, and cordial	indigestion, weakness, &c.	0	0	7½	0	8	6
. ditto, ditto	ditto ditto	0	0	6	1	7	6
. tonic . .	ditto, rickets, worms	0	0	8	0	9	0
. stomachic .	indigestion, flatulence	0	0	4	0	4	6
. stimulant .	ditto, gleet, whites, &c.	0	0	8	0	9	0
. stimulant & sudorific	ditto, rheumatism, &c.	0	0	6	0	7	6
. brisk purgative	obstinate costiveness	0	0	8	0	9	0
. cordial . .	lowness of spirits, fainting	0	0	6	0	7	6
. strengthening .	green sickness, debility, &c.	0	0	6	0	7	0
. anodyne . .	spasms, acute pains, &c.	0	0	8	0	9	0
. ditto . . .	ditto, coughs, athmas, &c.	0	3	0	2	2	0
. stomachic .	indigestion, relaxation, &c.	0	0	6	0	7	0
. ditto, and cordial .	ditto, ditto	0	0	8	0	9	0
. anodyne . .	hooping cough	0	3	0			
. diuretic, &c. .	gleet, flour albus, gravel	0	0	4	0	4	6
. ditto . . .	ditto, gravel, rheumatism	0	0	2	0	1	6
. ditto . . .	ditto ditto	0	1	0			
. anti-nervous .	nervous head ach, &c.	0	0	4	0	4	0
. ditto . . .	ditto	0	0	6	0	6	6
. ditto . . .	lowness of spirits, &c.	0	0	6	0	7	0
. stomachic .	indiges. flatulence, relaxation	0	0	6	0	6	6
. ditto . . .	ditto, ditto, ditto	0	0	3	0	3	6
. ditto, and vermifuge	indigestion, worms, &c	0	0	4	0	4	6
. alkaline . .	heartburn, rickets	0	0	4	0	3	6
. emetic . . .		0	0	4	0	4	6
. ditto . . .		0	0	6	0	7	0
. aperient . .	costiveness, indigestion	0	0	6	0	7	6
. tonic . . .	debility, green sickn. whites	0	0	4	0	5	0

	s.	d.		s.	d.
Plaister of Ammonia and Quicksil-			Essential oil of cloves per oz.	5	6
ver	0	8	_____ chamomile	5	0
_____ blistering .	1	0	_____ pennyroyal .	4	0
_____ cephalic . .	0	6	_____ juniper .	1	0
_____ diachylon .	0	3	_____ lavender, Eng.	5	0
_____ with gum .	0	4	_____ rosemary .	1	0
_____ for corns . .	1	0	_____ rue .	4	0
_____ defensiv. . .	0	3	_____ rhodium .	28	0
_____ cummin . .	0	3	_____ mint .	5	0
_____ laudanum . .	1	0	Oil of almonds .	0	4
_____ sticking . .	0	3	_____ mace .	5	0
_____ strengthening . .	0	3	_____ palm .	0	2
Ointment, antipsonce .	0	4	_____ roses .	0	3
_____ yellow basilicon .	0	3	_____ elder .	0	3
_____ mercurial, strong .	0	6	_____ savin .	3	0
_____ weak .	0	3	_____ sassafras .	2	6
_____ Spanish flies . .	0	8	Areca charcoal, 3s. 6d. per box, bottles		
_____ spermaceti . .	0	4	7s. to 20s.		
_____ sulphur . .	0	3	Prepared charcoal, 2s. 6d. to 8s. 6d. per		
_____ saturn . .	0	4	bottle		
_____ simple . .	0	3	Prepared Jamaica ginger, 2s. 6d. 5s. 6d.		
Essential oil of peppermint .	7	0	and 12s. per bottle		
_____ spearmint .	5	0	Red præcipitate . per oz.	1	0
_____ dill seed .	2	6	White ditto	1	4
_____ caraway seed	2	0	Lunar caustic	7	0